



# SEA HORNET USA

2009-10 CATALOG






# SEA HORNET

— USA —

# SPEARGUNS

The most extreme - Quality engineered using the highest grade materials to accommodate conditions and offer superior performance.

**TERMINATOR** - Features: Top quality marine grade alloy barrel, quality grip and V3 trigger mechanism, 1 x 5/8" wire wishbone band, high tensile spearshaft, hardened mako point and nylon cord.



Description	Part No.
Terminator 400 (2'6")	SH-TERM400
Terminator 800 (3'6")	SH-TERM800

**SABRE** - Features: Top quality marine grade alloy barrel, deluxe grip and V3 trigger mechanism, 1 x 5/8" wire wishbone band, stainless steel spearshaft, hardened mako point and auto line drop.



Description	Part No.
Sabre 400 (2'6")	SH-SABRE400
Sabre 800 (3'6")	SH-SABRE800

**ELIMINATOR** - Features: Top quality marine grade alloy barrel, deluxe grip and V3 trigger, 2 x 5/8" wire wishbone band, stainless steel spearshaft, hardened mako tip, auto line drop, line tensioner and pigtail swivel.



Description	Part No.
Eliminator 800 (3'6")	SH-ELIM800
Eliminator 1000(4'6")	SH-ELIM1000

**COMPETITION** - Features: Top quality marine grade alloy barrel, deluxe grip and V3 trigger, 5/8" wire wishbone band, stainless steel spearshaft, hardened mako tip, auto line drop, line tensioner.



Description	Part No.
Competition 900 (4'0")	SH-COMP900

# SPEARGUNS

The most extreme - Quality engineered using the highest grade materials to accommodate conditions and offer superior performance.

**MAGNUM** - Beautifully hand crafted from Tasmanian oak with double coated finish. Features: Deluxe grip and V3 trigger, 5/8" wire wishbone band, spring stainless steel spearshaft, hardened mako point, auto line drop.



Description	Part No.
Magnum 800 (3'6")	SH-MAG36
Magnum 900 (4'0")	SH-MAG40
Magnum 1000 (4'6")	SH-MAG46

**SPORTSMAN** - Same stock as Magnum gun. Features: Deluxe grip and V3 trigger, 2 x 5/8" dyneema band, spring stainless steel spearshaft, detachable hardened mako point with trace, auto line drop, line tensioner, grip clip.



Description	Part No.
Sportsman 1000 (4'6")	SH-SPORT1000
Sportsman 1100 (5'0")	SH-SPORT1100
Sportsman 1200 (5'6")	SH-SPORT1200

**HUNTSMAN** - Hand crafted 1 piece teak gun with oil treated finish. Features: V3 trigger, 2 x 5/8" dyneema bands, spring stainless steel shaft, detachable hardened mako tip with trace, auto line drop, monofilament line, line tensioner, pigtail swivel, and grip clip.



Description	Part No.
Huntsman 1000 (4'6")	SH-HUNTS1000
Huntsman 1100 (5'0")	SH-HUNTS1100
Huntsman 1200 (5'6")	SH-HUNTS1200

**COMMANDO** - Features: High grade 6060 alloy barrel anodized in black, deluxe grip and V3 trigger, 5/8" dyneema band. 7mm stainless olive drab spearshaft with quad cut point and single flopper, monofilament line, auto line drop, line tensioner, pigtail swivel and grip clip.



Description	Part No.
Commando 800 (3'6")	SH-COMV800
Commando 1000 (4'6")	SH-COMV1000
Commando 1200 (5'6")	SH-COMV1200

**MARXMAN** - Features: High grade 6060 alloy barrel anodized in black, deluxe grip and V3 trigger, 2 x 5/8" dyneema bands, 7mm spring stainless steel spearshaft with quad cut point and single flopper, monofilament line, auto line drop, line tensioner, pigtail swivel, grip clip.



Description	Part No.
Marxman 1000 (4'6")	SH-MARV1000
Marxman 1200 (5'6")	SH-MARV1200
Marxman 1400 (6'6")	SH-MARV1400

## THE UNDISPUTED CHOICE OF SPEARFISHERMAN

Offering extra heavy duty joining ferrules, chrome plated components, marine grade alloys, heavy duty fiberglass, high quality hand made clusters and super power latex long life bands.

**FIBERGLASS** - Compact and lightweight. Manufactured from 1/2" fiberglass with a special outer silicone mesh coating for a smooth durable fiber sealed finish. Fitted with chrome plated ferrules with O-ring to lock joints, genuine latex bands and chrome plated 5 barb cluster



Description	Part No.
Fiberglass Compact 1 Piece (6'0")	SH-PSF1
Fiberglass Compact 2 Piece (6'0")	SH-PSF2

**HEAVY DUTY FIBERGLASS** - Extremely resilient heavy duty fiberglass manufactured from 9/16" material with a special outer silicone mesh coating for a smooth durable fiber sealed finish. Fitted with heavy duty chrome plated ferrules with O-ring to lock joints, genuine latex bands and heavy duty 5 barb cluster.



Description	Part No.
Fiberglass Heavy Duty 2 Piece (6'0")	SH-PSFHD2

**ALUMINUM** - Made from 5/8" heavy gauge marine grade aluminum alloy and fitted with solid knurled ferrules, five barb cluster and long life latex bands.



Description	Part No.
Aluminum 2 Piece 5 Barb (6'0")	SH-PSAL2

# SPEARSHAFTS



Quad Cut

**SPRING STAINLESS STEEL** - Manufactured from double heated precipitation hardened 630 grade spring stainless steel (17/4) with ultra high resilience against distortion. Features dyneema friendly double notching and also suits stainless steel bridles.

## SPRING STAINLESS STEEL (8mm except as noted)

Description	Part No.
800 (3'6") 7mm Point	SH-7SPS800
900 (4'0") 7mm Point	SH-7SPS900
1000 (4'6") 7mm Point	SH-7SPS1000
1200 (5'6") 7mm Point	SH-7SPS1200
1400 (6'6") 7mm Point	SH-7SPS1400
800 (3'6") Point	SH-7SPS800P
900 (4'0") Point	SH-SPS900P
1000 (4'6") Point	SH-SPS1000P
1100 (5'0") Point	SH-SPS1100P
1200 (5'6") Point	SH-SPS1200P
800 (3'6") Thread 5/16"	SH-SPS800
900 (4'0") Thread 5/16"	SH-SPS900
1000 (4'6") Thread 5/16"	SH-SPS1000
1100 (5'0") Thread 5/16"	SH-SPS1100
1200 (5'6") Thread 5/16"	SH-SPS1200

## SPEAR SHAFTS



**HIGH TENSILE STEEL** - Chromium coated hard drawn low carbon high tensile double notched as a standard and threaded for easy point replacement, 5/16" thread.

Description	Part No.
High Tensile 400 (2'6")	SH-SPHT400
High Tensile 800 (3'6")	SH-SPHT800
High Tensile 1000 (4'6")	SH-SPHT1000

**STAINLESS STEEL** - Manufactured from 304 grade non-corrosive stainless steel. Double notched as a standard and threaded 5/16" or 6mm, for simple tip replacement.


Description	Part No.
400 (2'6") 5/16"	SH-SP400
800 (3'6") 5/16"	SH-SP800
900 (4'0") 5/16"	SH-SP900
1000 (4'6") 5/16"	SH-SP1000
1200 (5'6") 5/16"	SH-SP1200

Description	Part No.
400 (2'6") 6mm	SH-SP4006
800 (3'6") 6mm	SH-SP8006
900 (4'0") 6mm	SH-SP9006
1000 (4'6") 6mm	SH-SP10006
1200 (5'6") 6mm	SH-SP12006

# PARTS AND ACCESSORIES

## SPEARGUN REEL

The Sea Hornet Speargun Reel incorporates a lock & drag tensioner to maximize diver control in strike situations. The reel can be mounted right or left hand. Super lightweight construction using black anodised marine grade aluminum and stainless steel. The large capacity fits up to 250 ft of line.



Description	Part No.
Alloy Reel Pro Drag Tension	SH-ACC-REEL

## SPEARGUN PARTS:

### GRIP & TRIGGER



Grip Clip

Description	Part No.
Grip Clip with Swivel	SH-ACC-GC
Grip & Trigger - Aluminum Gun	SH-PT-GTAL
Grip & Trigger Terminator (Red)	SH-PT-GTR
Grip & Trigger - Wood Gun	SH-PT-GTW
Trigger Mech. W/Safety (Aluminum)	SH-PT-TMCHAL
Trigger Mechanism With Safety (Wood)	SH-PT-TMCHW



Aluminum and Trigger



Wood Gun Grip & Trigger



Trigger Mechanism

### LINE CORD, MONOFILAMENT & COMPONENTS


Description	Part No.
Monofilament 350lb 30ft x 1.8mm	SH-ACC-MF350
Line Tensioner 800 Dyneema/Mono	SH-ACC-LT800M
Line Tensioner 1000 Dyneema/Mono	SH-ACC-LT1000M
Line Tensioner 1200 Dyneema/Mono	SH-ACC-LT1200M
Line Tensioner 1400 Dyneema/Mono	SH-ACC-LT1400M
Monofilament Crimps 12 x 1.8mm	SH-ACC-MFC18
Monofilament Crimps 24 x 2mm	SH-ACC-MFC2
Line Tensioner Cord 400 (2'6") Blk	SH-ACC-LT400
Line Tensioner Cord 800 (3'6") Blk	SH-ACC-LT800
Line Tensioner Cord 900 (4'0") Blk	SH-ACC-LT900
Line Tensioner Cord 1000 (4'6") Blk	SH-ACC-LT1000
Line Tensioner Cord 1200 (5'6") Blk	SH-ACC-LT1200
Line Tensioner Cord (4') Red	SH-ACC-LT900R
Line Slide Spring	SH-ACC-LSS
Line Slide Washer	SH-ACC-LSW
Swivel Torpedo W/S.S Pigtail S	SH-ACC-SWS
Swivel Torpedo W/S.S Pigtail M	SH-ACC-SWM
Swivel Torpedo W/S.S Pigtail L	SH-ACC-SWL
Swivel Torpedo W/S.S Pigtail XL	SH-ACC-SWXL

### POLESPEAR PARTS & ADAPTERS



Description	Part No.
Adapter 1/2" Male x 6mm Female	SH-ACC-AD126
Adapter 5/16" Female x 6mm Male	SH-ACC-AD516
Adapter 6mm Female x 5/16" Male	SH-ACC-AD651

Pigtail Swivel



Line slide washer  
Line slide spring

Line Tensioner

# BANDS

## SPEARGUN BANDS

Sea Hornet genuine latex rubber is formed using the dipped layer process where the inner layers remain natural and the outer layers are carbon impregnated. This high tech process is designed to extend the life of natural latex, enhancing the physical properties and offering up to 1000% elasticity. Adapted for use with dyneema and stainless steel bridles.



## WIRE WISHBONE BANDS

Description	Part No.
5/8" x 22" for 900 (4'0")	SH-B58-22
5/8" x 12" for 400 (2'6")	SH-B58-12
5/8" x 18" for 800 (3'6")	SH-B58-18
5/8" x 24" for 1000 (4'6")	SH-B58-24
5/8" x 28" for 1200 (5'6")	SH-B58-28
3/4" x 18" for 800 (3'6")	SH-B34-18
3/4" x 24" for 1000 (4'6")	SH-B34-24
3/4" x 28" for 1200 (5'6")	SH-B34-28

## DYNEEMA BANDS

Description	Part No.
5/8" x 18" for 800 (3'6")	SH-B58-18D
5/8" x 24" for 1000 (4'6")	SH-B58-24D
5/8" x 26" for 1100 (5'0")	SH-B58-26D
5/8" x 28" for 1200 (5'6")	SH-B58-28D
5/8" x 33" for 1400 (6'6")	SH-B58-33D
3/4" x 18" for 800 (3'6")	SH-B34-18D
3/4" x 24" for 1000 (4'6")	SH-B34-24D
3/4" x 26" for 1100 (5'0")	SH-B34-26D
3/4" x 28" for 1200 (5'6")	SH-B34-28D
3/4" x 33" for 1400 (6'6")	SH-B34-33D

## BULK LATEX

Available for the dedicated hunter wanting to make their own speargun rubbers. High tech process: Cold Dipped Natural Latex for long life and maximum power.



Description	Part No.
Bulk Latex (3/8") Blk per ft	SH-BBK38
Bulk Latex (5/8") Blk per ft	SH-BBK58
Bulk Latex (3/4") Blk per ft	SH-BBK34

## ATTACHMENTS

Produced from the highest quality brass and stainless steel components




Description	Part No.
Bridle Dyneema & Balls 3/8"	SH-ACC-BD38
Saddle Wire & Nut 3/4" Rubber	SH-ACC-SWN34
Saddle Wire & Nut 5/8" Rubber	SH-ACC-SWN58

# SPEAR TIPS

## CLUSTERS

Made with hardened & tempered barbs soldered into solid brass or aluminum bases.



Aluminum  
5 barb



Standard 5 barb cluster

## CLUSTERS

Description	Part No.
1/2" & 5/16" - Dual Thread	SH-TIPB525
Alum, 5 Barb, 1/2" Thread	SH-TIPB512AL

## MAKO SPEAR TIPS

Heat treated and ground points made from case hardened steel to withstand extreme conditions.




MAKO TIP

**FISH EXTRACTOR**  
The slip ring holds the flopper for easy fish removal

**DETACHABLE**  
Stainless steel trace eliminates spear flex with extra large fish.

## MAKO SPEAR TIPS

Description	Part No.
6mm Detachable Head + trace	SH-TIPDM6
5/16" Detachable Head + trace	SH-TIPDM516
5/16" Fish Extractor	SH-TIPFM516
6mm Fish Extractor	SH-TIPFM6
5/16" Mako Head	SH-TIPM516
6mm Mako Head	SH-TIPM6
7mm Mako Head	SH-TIPM7



## FISH STRINGER

Fish Stringer with Stainless Steel Cable

## FISH STRINGER

Description	Part No.
Stainless Steel with S.S Trace	SH-ACC-STR



AS OF 01/2009.

MODEL #	DESCRIPTION	Gun Length	Stock	# of Bands	Band Dia.	Band length	Band #	Wishbone	Line Tensioner	Shooting Line	Tip	Shaft DIA	Shaft thread	Shaft #	Shaft Material	Butt	Grip Clip
SH-TERM400	SPEARGUN-"TERMINATOR" 400 (2'6")	30"	Aluminum	1	5/8"	12"	SH-B58-12	Wire	No	Nylon	Mako	8mm	5/16"	SH-SPHT400	High tensile	Std.	No
SH-TERM800	SPEARGUN-"TERMINATOR" 800 (3'6")	42"	Aluminum	1	5/8"	18"	SH-B58-18	Wire	No	Nylon	Mako	8mm	5/16"	SH-SPHT800	High tensile	Std.	No
SH-SABRE400	SPEARGUN-"SABRE" 400 (2'6")	30"	Aluminum	1	5/8"	12"	SH-B58-12	Wire	No	Nylon	Mako	8mm	5/16"	SH-SP400	Stainless Steel	Std.	No
SH-SABRE800	SPEARGUN-"SABRE" 800 (3'6")	42"	Aluminum	1	5/8"	18"	SH-B58-18	Wire	No	Nylon	Mako	8mm	5/16"	SH-SP800	Stainless Steel	Std.	No
SH-ELIM800	SPEARGUN-"ELIMINATOR" 800 (3'6")	42"	Aluminum	2	5/8"	18"	SH-B58-18	Wire	Yes	Nylon	Mako	8mm	5/16"	SH-SP800	Stainless Steel	Std.	No
SH-ELIM1000	SPEARGUN-"ELIMINATOR" 1000 (4'6")	54"	Aluminum	2	5/8"	24"	SH-B58-24	Wire	Yes	Nylon	Mako	8mm	5/16"	SH-SP1000	Stainless Steel	Std.	No
SH-COMP900	SPEARGUN-"COMPETITION" 900 (4'0")	48"	Aluminum	1	5/8"	22"	SH-B58-22	Wire	Yes	Nylon	Mako	8mm	5/16"	SH-SP900	Stainless Steel	Std.	Yes
SH-COMP800	SPEARGUN-"COMMANDO" V TRACK 800 (3'6")	42"	Aluminum	1	5/8"	18"	SH-B58-18D	Dyneema	Yes	Mono	Quad Cut	7mm	***	TBA	Olive Drab	Std.	Yes
SH-COMP1000	SPEARGUN-"COMMANDO" V TRACK 1000 (4'6")	54"	Aluminum	1	5/8"	24"	SH-B58-24D	Dyneema	Yes	Mono	Quad Cut	7mm	***	TBA	Olive Drab	Std.	Yes
SH-COMV1200	SPEARGUN-"COMMANDO" V TRACK 1200 (5'6")	66"	Aluminum	1	5/8"	28"	SH-B58-28D	Dyneema	Yes	Mono	Quad Cut	7mm	***	SH-7SP51000	Spring Stainless	Std.	Yes
SH-MARV1000	SPEARGUN-"MARKSMAN" V TRACK 1000 (4'6")	54"	Aluminum	2	5/8"	24"	SH-B58-24D	Dyneema	Yes	Mono	Quad Cut	7mm	***	SH-7SP51200	Spring Stainless	Std.	Yes
SH-MARV1200	SPEARGUN-"MARKSMAN" V TRACK 1200 (5'6")	66"	Aluminum	2	5/8"	28"	SH-B58-28D	Dyneema	Yes	Mono	Quad Cut	7mm	***	SH-7SP51400	Spring Stainless	Std.	Yes
SH-IMARV1400	SPEARGUN-"MARKSMAN" V TRACK 1400 (6'6")	78"	Aluminum	2	5/8"	33"	SH-B58-33D	Dyneema	Yes	Mono	Quad Cut	7mm	***	SH-SPS800	Spring Stainless	10"	No
SH-MAG36	SPEARGUN-"MAGNUM" 800 (3'6")	42"	Tasma. Oak	1	5/8"	18"	SH-B58-18	Wire	No	Nylon	Mako	8mm	5/16"	SH-SPS900	Spring Stainless	10"	No
SH-MAG40	SPEARGUN-"MAGNUM" 900 (4'0")	48"	Tasma. Oak	1	5/8"	22"	SH-B58-22	Wire	No	Nylon	Mako	8mm	5/16"	SH-SPS1000	Spring Stainless	10"	No
SH-MAG46	SPEARGUN-"MAGNUM" 1000 (4'6")	54"	Tasma. Oak	1	5/8"	24"	SH-B58-24	Wire	No	Nylon	Mako	8mm	5/16"	SH-SPS1000	Spring Stainless	10"	No
SH-SPORT1000	SPEARGUN-"SPORTSMAN" 1000 (4'6")	54"	Tasma. Oak	2	5/8"	24"	SH-B58-24D	Dyneema	Yes	Nylon	Detachable	8mm	5/16"	SH-SPS1000	Spring Stainless	10"	Yes
SH-SPORT1100	SPEARGUN-"SPORTSMAN" 1100 (5'0")	60"	Tasma. Oak	2	5/8"	26"	SH-B58-26D	Dyneema	Yes	Nylon	Detachable	8mm	5/16"	SH-SPS1100	Spring Stainless	10"	Yes
SH-SPORT1200	SPEARGUN-"SPORTSMAN" 1200 (5'6")	66"	Tasma. Oak	2	5/8"	28"	SH-B58-28D	Dyneema	Yes	Nylon	Detachable	8mm	5/16"	SH-SPS1200	Spring Stainless	10"	Yes
SH-HUNT1000	SPEARGUN-"HUNTSMAN" 1000 (4'6")	54"	Teak, oiled	2	5/8"	24"	SH-B58-24D	Dyneema	Yes	Mono	Detachable	8mm	5/16"	SH-SPS1000	Spring Stainless	1 pc. Gun	Yes
SH-HUNT1100	SPEARGUN-"HUNTSMAN" 1100 (5'0")	60"	Teak, oiled	2	5/8"	26"	SH-B58-26D	Dyneema	Yes	Mono	Detachable	8mm	5/16"	SH-SPS1100	Spring Stainless	1 pc. Gun	Yes
SH-HUNT1200	SPEARGUN-"HUNTSMAN" 1200 (5'6")	66"	Teak, oiled	2	5/8"	28"	SH-B58-28D	Dyneema	Yes	Mono	Detachable	8mm	5/16"	SH-SPS1200	Spring Stainless	1 pc. Gun	Yes



# SEA HORNET

— USA —



[seahornet-usa.com](http://seahornet-usa.com)

2380 Mira Mar Ave. Long Beach, CA 90815 | P: 800-482-2282 | F: 800-344-3702 | [www.tusa.com](http://www.tusa.com)